

## Rubber framed round mirror


- 18" x 18" rubber framed round mirror
- 11/16" wide and 13/16" deep black extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical hanging orientation

#### **Mirror Dimensions**



#### Weight: 8 lbs.











## Rubber framed round mirror


- 24" x 24" rubber framed round mirror
- 11/16" wide and 13/16" deep black extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



Weight: 11 lbs.











### Rubber framed round mirror

- 30" x 30" rubber framed round mirror
- 11/16" wide and 13/16" deep black extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**










### Rubber framed round mirror

- 36" x 36" rubber framed round mirror
- 11/16" wide and 13/16" deep black extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**










### Rubber framed round mirror

- 18" x 18" rubber framed round mirror
- 11/16" wide and 13/16" deep grey extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**













### Rubber framed round mirror


- 24" x 24" rubber framed round mirror
- 11/16" wide and 13/16" deep grey extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 11 lbs.










## Rubber framed round mirror


- 30" x 30" rubber framed round mirror
- 11/16" wide and 13/16" deep grey extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 17 lbs.











### Rubber framed round mirror

- 36" x 36" rubber framed round mirror
- 11/16" wide and 13/16" deep grey extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**









### Rubber framed round mirror


- 18" x 18" rubber framed round mirror
- 11/16" wide and 13/16" deep sage green extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 8 lbs.











### Rubber framed round mirror


- 24" x 24" rubber framed round mirror
- 11/16" wide and 13/16" deep sage green extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 11 lbs.











## Rubber framed round mirror


- 30" x 30" rubber framed round mirror
- 11/16" wide and 13/16" deep sage green extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 17 lbs.








## Rubber framed round mirror

- 36" x 36" rubber framed round mirror
- 11/16" wide and 13/16" deep sage green extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**










### Rubber framed round mirror

- 18" x 18" rubber framed round mirror
- 11/16" wide and 13/16" deep matte gold extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**













### Rubber framed round mirror


- 24" x 24" rubber framed round mirror
- 11/16" wide and 13/16" deep matte gold extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



Weight: 11 lbs.










## Rubber framed round mirror


- 30" x 30" rubber framed round mirror
- 11/16" wide and 13/16" deep matte gold extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



Weight: 17 lbs.











## Rubber framed round mirror

- 36" x 36" rubber framed round mirror
- 11/16" wide and 13/16" deep matte gold extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**










## Rubber framed round mirror

- 18" x 18" rubber framed round mirror
- 11/16" wide and 13/16" deep white extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**













### Rubber framed round mirror


- 24" x 24" rubber framed round mirror
- 11/16" wide and 13/16" deep white extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 11 lbs.










## Rubber framed round mirror


- 30" x 30" rubber framed round mirror
- 11/16" wide and 13/16" deep white extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**



#### Weight: 17 lbs.







## Rubber framed round mirror

- 36" x 36" rubber framed round mirror
- 11/16" wide and 13/16" deep white extruded rubber frame
- 1/4" thick glass with premium silver backing sits 3/8" back in the frame
- Ultra-Flush™ Installation System: one cleat on back of mirror, interlocking wall cleat provided
- Vertical orientation

#### **Mirror Dimensions**

